



Proficiency testing

Milk - chemistry

Fat content

Samples dispatched: 18 January 2021



Proficiency testing
Milk - chemistry
Fat content
Samples dispatched: 18 January 2021

Your labcode: GD21

Table 3: Z-score x scores and x scores of each duplicate result, of the last 8 proficiency tests

Date of PT	\bar{x} (mean)	s_{score}	x score result 1	x score result 2	x score result 3	x score result 4	x score result 5	x score result 6
05-01-2019	-0.012	0.047	0.306	0.074	0.012	0.152	0.479	0.01
21-01-2019	0.012	0.196	0.184	0.120	0.016	0.123	0.431	0.01
10-04-2019	0.018	0.416	0.059	0.346	0.048	0.760	-0.363	0.01
02-09-2019	0.012	0.330	-0.318	-0.481	-0.468	-0.792	-1.410	0.01
20-01-2020	0.014	0.261	-0.892	-2.058	-0.012	-1.965	-3.456	0.01
20-04-2020	0.012	0.060	-0.708	-0.176	0.046	-1.881	-0.321	0.01
31-08-2020	0.012	0.367	-0.825	-0.963	-0.977	-2.865	-2.058	0.01
18-01-2021	0.010	1.000	1.963	-2.431	-3.088	-1.734	-1.718	0.01

Figure 3: Pattern of the mean x scores over time. The x scores of each duplicate result are presented.



Portfolio Proficiency tests 2023

Chemical proficiency tests

Type of product	Parameters	$Q^{1)}$	Dates of dispatch in 2023											
			Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Milk	Fat, protein, dry matter, lactose	Q		6		24				28				
Cream	Fat, protein, dry matter	Q		20					12		25			
Whey	Fat, protein, dry matter	Q		6		24				28				
Conc. milk	Fat, protein, saccharose, dry matter	Q			6							30		
Milk, cream	Freezing point	Q		20					12		25			
Cheese	Fat, salt, moisture	Q			13			5			23			
Cheese	pH	Q			13			5			23			
Butter	SNF, moisture, pH	Q			13						23			
Butterfat	Peroxide, FFA	Q			13						23			
Milk powder	Fat, protein, moisture	Q		13			8				2			
Infant food	Nitrate, nitrite	Q		13							2			
Whey powder	Fat, protein, moisture			13			8				2			
Infant food	Fat, protein, moisture			13			8				2			
Water	COD	Q		23			6				30			
Milk	Somatic cell count				17						6			

analytical • reliable • proficient • solution-driven

Qlip B.V. • +31 (0)88-7547199 • info@qlip.com • www.qlip.com





Proficiency testing

Milk - chemistry

Fat content

Samples dispatched: 18 January 2021

Your labcode: GD71

Full content
Samples dispatched: 18 January 2021

Table X: Z-scores x scores and z scores of each duplicate result, of the last 8 proficiency tests									
Date of PT	Z-scores	Mean x score	z score result 1	z score result 2	z score result 3	z score result 4	z score result 5	z score result 6	z score result 7
05-01-2018	-0.012	-0.047	0.306	0.074	-0.012	0.152	0.179	0.179	0.179
21-01-2018	0.012	1.198	-0.184	2.120	0.016	0.123	2.431	1.171	1.171
10-04-2018	0.018	0.416	0.809	0.346	0.048	0.760	-0.363	0.763	0.763
02-08-2018	-0.012	-0.930	-0.318	-0.481	-0.468	-0.799	-1.410	-0.799	-0.799
20-01-2019	0.014	-0.091	-0.892	-2.058	-0.012	-1.969	-3.456	-1.969	-1.969
20-04-2019	0.012	-0.060	-0.768	-0.178	0.046	-1.881	-3.521	-1.881	-1.881
31-08-2019	0.012	-0.587	-0.825	-0.983	-0.977	-2.865	-2.058	-2.865	-2.865
18-01-2020	0.010	1.060	-1.963	-2.431	-0.388	-1.734	-1.718	-1.734	-1.734

Figure X: Pattern of the mean x scores over time. The x scores of each duplicate result are presented.



Microbiological proficiency tests

Type of product	Parameters		Q ¹⁾	Dates of dispatch in 2023											
				Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Milk	Total plate count	Enumeration	²⁾ Q	16			17						9		
Milk	Thermouduric streptococci	Enumeration	²⁾ Q	16			17						9		
Milk	Lactobacilli	Enumeration	²⁾ Q	16			17						9		
Milk	Coliforms	Enumeration	²⁾ Q	16			17						9		
Milk	Enterobacteriaceae	Enumeration	²⁾ Q	16			17						9		
Milk	Enterobacteriaceae	detect./not detect.	²⁾			6			8				23		
Milk	E. Coli	Enumeration	²⁾			6			8				23		
Milk	Coagulase-positive staphylococci	Enumeration	²⁾			6			8				23		
Milk	Coagulase-positive staphylococci	detect./not detect.	²⁾			6			8				23		
Milk	Yeasts and moulds	Enumeration	²⁾			27				12				6	
Milk	Bacillus cereus - vegetative	Enumeration	²⁾			27				12				6	
Milk	Salmonella	detect./not detect.	³⁾	23					5			25			
Milk	Listeria monocytogenes	detect./not detect.	³⁾	23					5			25			
Milk	Inhibitory substances/antibiotics		^Q			6		22					16		
Milk	Inhibitory substances/antibiotics for Tetracyclin (Customs Union)		³⁾			6		22					16		

1) Qlip is accredited by RvA as complying with the requirements of ISO/IEC 17043.

2) Only organised for participants within European Union and United Kingdom (GB).

3) Only organised for participants within the Netherlands.

analytical • reliable • proficient • solution-driven

Qlip B.V. • +31 (0)88-7547199 • info@qlip.com • www.qlip.com

Qlip
Quality assurance in dairy